

Bayer CropScience LP P.O. Box 12014 2 T.W. Alexander Drive

Research Triangle Park, North Carolina 27709 1-866-99BAYER (1-866-992-2937) http://www.bayercropscienceus.com Domain™ DF Herbicide

EPA Reg. No. 264-771

EPA SLN. No. SD-060008

24(c) Supplemental Label FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF SOUTH DAKOTA

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This label must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

DIRECTIONS FOR USE

Environmental Precautions, General Use, and Storage and Disposal

Refer to the container label for additional use precautions and directions. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL APPLICATION DIRECTIONS

SPRAY DRIFT PRECAUTIONS

Controlling spray drift at the application site is the responsibility of the applicator. The interaction of many equipment and weather related factors determine the potential of spray drift. The applicator and the grower are responsible for considering all these factors when making application decisions.

Do not apply this product using aerial application equipment.

Make application when the wind velocity favors on-target product deposition. "Do not spray near sensitive plants if wind is gusty or in excess of 10 mph and moving in the direction of sensitive plants or sensitive areas."

Do not apply Domain™ DF Herbicide or Domain™ DF Herbicide tank mixtures when environmental conditions (such as an inversion, etc.) favor movement to non-target sites. To minimize spray drift to non-target areas:

Use low pressure application equipment capable of producing a large droplet spray. Do not use nozzles that produce fine droplet spray. Minimize drift by using sufficient spray volume to ensure adequate coverage with large droplet size sprays.

Keep ground driven spray boom as low as possible above the target surface.

Low humidity and high temperatures increase the likelihood of spray drift to sensitive areas. Avoid spraying during conditions of low humidity and/or high temperatures. Do not apply during inversion conditions.

MIXING, LOADING AND HANDLING PRECAUTIONS:

Do not transfer, mix, repackage, refill, clean, wash, load, unload, rinse, or empty containers or equipment containing Domain™ DF Herbicide within 150 feet of any well, natural or impounded lakes and reservoirs, perennial or intermittent streams and rivers, or wetlands unless it is done so over a South Dakota Department of Agriculture approved operational area containment.

Any spilled material must be immediately recovered. Discharges in excess of 25 pounds active ingredient must be reported to the department. Recovered material must be properly stored and handled until proper disposal or use has occurred. The owner or operator shall provide written documentation to the department describing the cause of the discharge, recovery, and sampling procedures, analysis reports, and disposition of the recovered materials within 30 days following the date the discharge occurred.

For <u>MEDICAL</u> And <u>TRANSPORTATION</u> Emergencies <u>ONLY</u> Call 24 Hours A Day 1-800-334-7577 For <u>PRODUCT USE</u> Information Call 1-866-99BAYER (1-866-992-2937)

Of

Visit our worldwide web site at www.bavercropscienceus.com

As with any crop-protection product, always read and follow label directions. For additional information call toll-free 1-866-99BAYER (1-866-992-2937).